

**Ballistic Standards**  
 For  
 NIJ (National Institute of Justice) 0108.01  
 UL (Underwriters Laboratory)

<b>NIJ</b>	<b>UL</b>	<b>Caliber</b>	<b>Bullet</b>	<b>Mass (gr.)</b>	<b>Velocity (fps)</b>	<b>Shots</b>	<b>Range (ft)</b>
I		.22	LRHV	40	1050	5	16
I		.38 spec	FMJ RN	158	850	5	16
	1	9mm	FMJ	124	1175	3	15
IIA		9mm	FMJ	124	1090	5	16
IIA		.357 Mag	JSP	158	1250	5	16
	6	9mm	FMJ	124	1400	5	15
II		9mm	FMJ	124	1175	5	16
II		.357 Mag	JSP	158	1250	5	16
	2	.357 Mag	JSP	158	1250	3	15
	3	.44 Mag	SWC	240	1350	3	15
IIIA		.44 Mag	LSWC	240	1430	5	16
IIIA		9mm	FMJ	124	1400	5	16
	4	.30-06	JSP	180	2540	1	15
	5	7.62mm (Nato)	FMJ	150	2750	1	15
	7	5.56mm (Nato)	FMJ	55	3080	5	15
	8	7.62mm (Nato)	FMJ	150	2750	5	15
III		7.62X51 M80	FMJ	150	2750	5	16
IV		.30-06	(AP)	166	2850	1	16

- AP- Armor Piercing
- FMJ- Full Metal Jacketed
- JSP- Jacketed Soft Point
- LRHV- Long Rifle High Velocity
- RN- Round Nose
- LSWC- Lead Semi-Wadcutter
- SWC- Semi-Wadcutter